



STORM
TILLAGE

SOLID DESIGN..PROVEN PERFORMANCE



No two fields are the same. Each year mother nature dishes out some challenging field conditions to you...so why not fight back with a STORM of your own!

EURO Model: Available in 13' & 20'



3-Section Model: Available in 27', 33', & 40'



Colour coded hose handles for quick hookup



Hydraulic Rolling Baskets with 2-Bar Tine Harrow



Heavy Duty Hub & Spindle on Rolling Baskets



3-Way Selector Valve



Single Point Depth Control



20" 13W Coultter



20" Concave Coultter



FEATURES:

- Heavy Duty Trip Assembly with Coil Spring (2 blades per trip)
- Independent Coulter Hubs with Triple Lip Seal
- 0° - 14° Adjustable Toolbar Angle (on-the-go)
- 10" Blade Spacing (5" effective cut)
- Working weight of approximately 800 LBS/FT
- 6" x 6" x 0.500W Heavy Duty Frame Tubing
- Hydraulic Baskets (Flat Bar) - *Optional*
- 2-Row Tine Harrow (0.5" x 27.25") - *Optional*
- Single Point Depth Control
- 20" 13W Ingersol **OR** 20" Concave Coulter
- Foldable Hitch - Utilize a Smaller Footprint Inside Shed
- Available in Green, Black, or Red



0° - 14°
10" Spacing



	13' Euro	20' Euro	27'	33'	40'
Hydraulic Requirements (Ports)	3 or 4	3 or 4	3 or 4	3 or 4	3 or 4
Hydraulic Requirements (PSI)	3000	3000	3000	3000	3000
Horsepower Requirements (hp/ft)	10 - 18	10 - 18	10 - 18	10 - 18	10 - 18
Overall Weight LBS (Estimated)	10,400	16,000	21,600	26,400	32,000
Working Width	13'-4"	20'-3"	26'-7"	33'-6"	40'
Transport Width	9'-7"	11'-2"	14'	14'	20'-11"
Transport Height	9'-9"	12'-9"	11'-5"	14'-4"	14'-4"
Hydraulic Angle Adjustment	0° - 14°	0° - 14°	0° - 14°	0° - 14°	0° - 14°
Blade Spacing	10"	10"	10"	10"	10"
Effective Cut Spacing	5"	5"	5"	5"	5"
Coulter Blades per Machine	33	49	65	81	97
Frame Sections	2	2	3	3	3
Coulter Blade Options	13W or Concave	13W or Concave	13W or Concave	13W or Concave	13W or Concave
Tire Specifications	320/70R15 (4)	320/70R15 (4)	440/55R18 (4) 320/70R15 (4)	440/55R18 (4) 320/70R15 (4)	440/55R18 (4) 320/70R15 (4)
Wheel Hubs	6 Bolt	8 Bolt	8 and 10 Bolt	8 and 10 Bolt	8 and 10 Bolt
Basket Options	Flat Bar	Flat Bar	Flat Bar	Flat Bar	Flat Bar

Get in touch with your local dealer!

Mandako Agri Marketing (2010) Ltd.
 12159B Hwy 306 | Box 379
 Plum Coulee, MB R0G 1R0

T: 888-525-5892
www.mandako.com
facebook.com/MandakoAgri



Details subject to change without notice

Printed in Canada